

### Dimensions in MM of ANSI B 16.5 Class 150

Size	D	B	G	M	H1	H2	H3	A	B1	B2	K	N	O	DEP
	O.D.	THK	R.F.DI A	HUB OD	W/N	SORF	LAP JOINT	Neck OD	WNRF ID	ID SW/ LAP/SOR F	PCD	NO. OF HOLES	HOLE DIA	P
1/2"	88.9	11.1	34.9	30.2	47.6	15.9	15.9	21.3	15.7	22.35	60.3	4	15.9	9.65
3/4"	98.4	12.7	42.9	38.1	52.4	15.9	15.9	26.7	20.8	27.7	69.8	4	15.9	11.14
1"	107.9	14.3	50.8	49.2	55.6	17.5	17.5	33.5	26.7	34.54	79.4	4	15.9	12.7
1.1/ 4"	117.5	15.9	63.5	58.7	57.1	20.6	20.6	42.2	35.1	43.2	88.9	4	15.9	14.3
1.1/ 2"	127	17.5	73	65.1	61.9	22.2	22.2	48.3	40.9	49.5	98.4	4	15.9	15.9
2"	152.4	19.1	92.1	77.8	63.5	25.4	25.4	60.4	52.6	62	120.6	4	19	17.5
2.1/ 2"	177.8	22.2	104.8	90.5	69.8	28.6	28.6	73.1	62.7	74.7	139.7	4	19	19
3"	190.5	23.8	127	107.9	69.8	30.2	30.2	88.9	78	90.7	152.4	4	19	20.6
3.1/ 2"	215.9	23.8	139.7	122.2	71.4	31.7	31.7	101.6	90.2	103.5	177.8	8	19	22.3
4"	228.6	23.8	157.2	134.9	76.2	33.3	33.3	114.3	102.4	116	190.5	8	19	23.8
5"	254	23.8	185.7	163.5	88.9	36.5	36.5	141.2	128.3	143.8	215.9	8	22.2	23.8
6"	279.4	25.4	215.9	192.1	88.9	39.7	39.7	168.4	152.4	170.5	241.3	8	22.2	26.9
8"	342.9	28.6	269.9	246.1	101.6	44.4	44.4	219.2	202.7	221.5	298.4	8	22.2	31.7
10"	406.4	30.2	323	304.8	101.6	49.2	49.2	273	254.5	276.4	361.9	12	25.4	33.2
12"	482.6	31.8	323.8	365.1	114.3	55.6	55.6	323.8	304.8	327.2	431.8	12	25.4	39.6
14"	533.4	34.9	412.7	400	127	57.1	79.4	355.6	336.6	359.2	476.2	12	28.6	41.4
16"	596.9	36.5	469.9	457.2	127	63.5	87.3	406.4	387.35	410.5	539.7	16	28.6	44.4
18"	635	39.7	533.4	504.8	139.7	68.3	96.8	457.2	438.15	461.8	577.8	16	31.7	49.2
20"	698.5	42.9	584.2	558.8	144.5	73	103.2	508	489	513.1	635	20	31.7	54.1